Wyndham Vale Savana



Met**Invest**

401 Lakefireld Way, Land size 192.29m²

🖴 4 🚿 2 🖚 2





151.84m ²	16.34 squares
192.29m ²	20.70 squares
448m ²	48.22 squares
19.31m	
11.15m	
	192.29m ² 448m ² 19.31m

SPECIFICATIONS

Property Type Contract Type Title Type Titled Land Price House Price Facade Inclusions External Scheme 1 **External Scheme 2 External Scheme 3** Internal Scheme 1 Internal Scheme 2 Internal Scheme 3 House Design Study Outdoor Room

House 2 Part Contract Torrens No N/A \$253,319 Coastal MetInvest Complete Inclusion MetInvest Complete External 1 MetInvest Complete External 2 MetInvest Complete External 3 MetInvest Complete Internal 1 MetInvest Complete Internal 2 MetInvest Complete Internal 3 Lygon 193 No No

SUMMARY

The first stage of Savana will welcome you right away by addressing what you need most. Your new life starts at day one with childcare delivered upfront* and just a stroll away with frontage onto Savana's large neighbourhood park.



Mobile: 1234664123 Email: taleenaanderson@metricon.com.au

*Prices correct at time of publication, subject to availability and change due to circumstances that may affect price as set out in the building contract, or changes in local, state or federal laws. Total building size of the home is calculated by measuring from the external side of external walls. Where no external wall exists for the purpose of measuring building area (such as porticos, balconies or outdoor rooms), Methwest assumes a straight line between the exterior of walls or columns. Land supplied by developer. House design subject to Developer approval. Package price is based upon Methwest assumes a straight line between the interpret of the landscaping supplied. For detailed home pricing and a full ist of inclusions, please speak to your Methrvest consultant. NEWFIELD REAL ESTATE PTY LID ACN 159 312 722, Licence number 028051L. NSW Contractor's Licence: 1746990; SA Builder's Licence: BLD231776. Metricon Homes QLD Py Ltd is licenced under the Queensland Building and Construction Commission Act 1991 (QBCC Licence 40992) and in NSW (Contractor's Licence: 36654C). Methwest is a division of Metricon Homes Pty Ltd (ACN 005108752). For information about Metricon's 25 Year Structural Guarantee, see www.metricon.com.au/terms/structural-guarantee. JUL2015 MET 2881



COMPLETE EXTERNAL SCHEME 1

Victoria



BRICKWORK SELKIRK Copperstone Natural raked mortar




RENDER DULUX Heifer



GARAGE DOOR, WINDOWS, FRONT ENTRY DOOR & DOORS Woodland Grey



GUTTER, FASCIA & DOWNPIPES Woodland Grey



ROOF ALICE Coal Dust Stuart profile

CONCRETE DRIVEWAY Gunmetal Stippled finish



CLADDING & EXTERNAL PAINTED AREAS DULUX Mud Pack

CEILING LININGS DULUX Lexicon Quarter




COMPLETE EXTERNAL SCHEME 2

Victoria



BRICKWORK SELKIRK Goldfield Haze Natural rolled mortar




RENDER & FRONT ENTRY DOOR DULUX Rogue



GARAGE DOOR, WINDOWS, DOORS & DOWNPIPES Evening Haze



COLORBOND Monument



ROOF ALICE Coal Dust Stuart profile

CONCRETE DRIVEWAY Gunmetal Stippled finish



CEILING LININGS DULUX Lexicon Quarter



COMPLETE EXTERNAL SCHEME 3

Victoria



BRICKWORK SELKIRK Musket Haze Natural rolled mortar



RENDER DULUX Calf Skin



GARAGE DOOR, WINDOWS & DOORS COLORBOND Monument



GUTTER, FASCIA & DOWNPIPES COLORBOND Monument



ROOF ALICE Coal Dust Stuart profile

CONCRETE DRIVEWAY Gunmetal Stippled finish



CLADDING & EXTERNAL PAINTED AREAS, FRONT ENTRY DOOR, DULUX Homebush

CEILING LININGS DULUX Lexicon Quarter



COMPLETE INTERNAL SCHEME 1


Victoria



BENCHTOP THROUGHOUT FORMICA Finesse Sand



KITCHEN OVERHEAD CABINETRY FORMICA Malibu





LAMINATE FLOORING PERFECT TIMBER FLOORS Old Beech



CARPET WEAVE SCAPE Natural Oak

FLOOR TILES (wet areas only)

BEAUMONT TILES Speckle Beige 400 × 400



DULUX Natural White

ROLLER & VERTICAL BLINDS LOVELIGHT Zen Cashmere Niagara range (Blockout)



COMPLETE INTERNAL SCHEME 2

Victoria



BENCHTOP THROUGHOUT FORMICA Finesse Taupe



CABINETRY & KICKERS THROUGHOUT FORMICA Graphite



KITCHEN OVERHEAD CABINETRY FORMICA Vicenza Walnut



WALL TILES THROUGHOUT

BEAUMONT TILES Impress White Gloss 200 \times 398



LAMINATE FLOORING PERFECT TIMBER FLOORS Antic Walnut



CARPET WEAVE SCAPE Sand Dune

FLOOR TILES (wet areas only)

BEAUMONT TILES Speckle Beige 400 × 400



INTERNAL WALL PAINT COLOUR DULUX Natural White

ROLLER & VERTICAL BLINDS LOVELIGHT Zen Mario Niagara range (Blockout)



COMPLETE INTERNAL SCHEME 3

Victoria



BENCHTOP THROUGHOUT FORMICA Finesse Stone



WALL TILES THROUGHOUT (excluding Laundry tiles) BEAUMONT TILES Imperial Gloss White 200 × 398



LAMINATE FLOORING PERFECT TIMBER FLOORS Antic Walnut



CABINETRY THROUGHOUT FORMICA Graphite



FLOOR TILES (wet areas only) BEAUMONT TILES Speckle Grey 400 × 400



CARPET WEAVE SCAPE Mineral




DULUX Natural White

ROLLER & VERTICAL BLINDS LOVELIGHT Zen Mario Niagara range (Blockout)

MetInvest metricon

EUCALYPT LANDSCAPING SCHEME

Victoria



All images are for illustrative purposes only. Actual landscaping may vary.

Rolled turf to front and rear

Toppings I Lilydale or Tuscan (60mm deep) to sides

Imported top soil (50mm deep)

Fine pine mulch to garden beds (50mm deep) to front & rear

Timber edging

Manual drip line including timer to front landscaping

Timber paling fencing (up to 70 linear metres) with single gate to front


Up to 36 sqm of coloured concrete driveway & front path

Up to 12 sqm of grey concrete to rear patio area (product specific) or concrete slab to outdoor room (where included)

Stepping stone concrete pavers to front garden

20 SHRUBS OR GROUND COVER IN 150mm POTS TO FRONT (5 OF EACH)





Lomandra Seascape

Correa Alba



Nandina Domestica

10 SHRUBS OR GROUND COVER IN 150mm POTS TO REAR (5 OF EACH)




Grevillea

MetInvest metricon

LAVANDULA LANDSCAPING SCHEME

Victoria



All images are for illustrative purposes only. Actual landscaping may vary.

Rolled turf to front and rear

Toppings I Lilydale or Tuscan (60mm deep) to sides

Imported top soil (50mm deep)

Fine pine mulch to garden beds (50mm deep) to front & rear

Timber edging

Manual drip line including timer to front landscaping

Timber paling fencing (up to 70 linear metres) with single gate to front

Up to 36 sqm of coloured concrete driveway & front path

Up to 12 sqm of grey concrete to rear patio area (product specific) or concrete slab to outdoor room (where included)

Stepping stone concrete pavers to front garden

20 SHRUBS OR GROUND COVER IN 150mm POTS TO FRONT (5 OF EACH)



Hebe Inspiration

Lavandula angustifolia



Convolvulus sabatias



Erigeron karvinskianus

10 SHRUBS OR GROUND COVER IN 150mm POTS TO REAR (5 OF EACH)



Lavandula angustifolia


Coastal Rosemary

Images are for illustrative purposes only. Landscaping includes up to 36 sqm of coloured concrete driveway. 12 sqm of grey concrete paving to rear patio area where no outdoor room provided (home specific, refer to working drawings). Treated pine timber paling fencing as per developer guidelines. Plant species shown are subject to availability and may be substituted if not available. No warranty is provided for plant longevity. Landscaping may not be substituted for cash or credit at contract and is subject to developer's approval. Plan based on block size of 400m² and house size of approximately 200m². This information is to be used as a guide only and MetInvest by Metricon makes no representation about the accuracy or completeness of the information and actual appearance may vary. SEP2015 MET2881. MetInvest by Metricon Landscaping Schemes

Met**Invest**

MAGNOLIA LANDSCAPING SCHEME

Victoria



All images are for illustrative purposes only. Actual landscaping may vary.

Rolled turf to front and rear

Toppings I Lilydale or Tuscan (60mm deep) to sides

Imported top soil (50mm deep)

Fine pine mulch to garden beds (50mm deep) to front & rear

Timber edging

Manual drip line including timer to front landscaping

Timber paling fencing (up to 70 linear metres) with single gate to front

Up to 36 sqm of coloured concrete driveway & front path

Up to 12 sqm of grey concrete to rear patio area (product specific) or concrete slab to outdoor room (where included)

Stepping stone concrete pavers to front garden

20 SHRUBS OR GROUND COVER IN 150mm POTS TO FRONT (5 OF EACH)



Lomandra Seascape

Strelitzia Reginae

Nandina Domestica

Dianella Silver Streak

10 SHRUBS OR GROUND COVER IN 150mm POTS TO REAR (5 OF EACH)




Yucca Elephantipes

Cordyline Red Star

Images are for illustrative purposes only. Landscaping includes up to 36 sqm of coloured concrete driveway. 12 sqm of grey concrete paving to rear patio area where no outdoor room provided (home specific, refer to working Maying States and the paint of the second states of



Lygon 193



House Area:	151.84 m ² (16.34 cquaras)
Garage Area:	(16.34 squares) 36.23 m ²
Portico Area:	(3.90 squares) 4.72 m²
	(0.46 squares)
Total Area:	192.79 m ²
	(20.75 squares)
Min. Block Width:	12.50 m
Total Length:	19.31 m
Total Width:	11.15 m

Note: This product fits on a 12.5m wide x 28m deep allotment.



LOVE WHERE YOU LIVE

HOME INCLUSIONS

MetInvest by Metricon Complete effective 1 June 2015

EXTERNAL FEATURES

BRICKWORK	Clay bricks. Pre-selected from builder's MetInvest colour schemes	
MORTAR JOINTS	Natural colour, raked joints	
ROOFTILES	Concrete roof tiles. Pre-selected from builder's standard range	
ROOF PLUMBING	Colorbond [®] or Colorcote metal fascia and barge, quad gutter with rectangular downpipes	
EXTERNAL RENDER	Acrylic texture coating render. Pre-selected from builder's standard range (facade specific, refer working drawings for extent of cover)	
LIGHTWEIGHT CLADDING	Fibre cement products to areas as per standard working drawings (product specific)	
ENTRY DOOR	Front Door: Pre-selected from builder's standard range - 2040 x 820 mm BAL 12.5 compliant	
LAUNDRY DOOR	Hinged Door Only. Paint finished, flush panel, 2040mm high with clear glass panel to top section (product specific)	
DOOR FURNITURE	Front Door: Entry set and deadbolt	
FUNNTUNE	External Hinged Door: Entry set keyed alike to front door	
DOOR FRAMES	Front Door: Aluminium, powder coat finish, clear glazed sidelights (product specific)	
	Laundry (Sliding Door): Aluminium, powder coat finish	
WINDOWS	Aluminium sliding, powder coat finish. Feature windows to front facade (product specific)	
	Keyed locks to openable windows	
INSECT SCREENS	Windows: Aluminium framed, powder coat finished to match windows with fibreglass mesh fitted to all openable windows of house only	
	Sliding Doors: Aluminium framed, powder coat finished to matched doors with grilled barrier and fibreglass mesh fitted to all sliding doors	
	Hinged Doors: Aluminium framed, powder coat finished, with grilled barrier and fibreglass mesh fitted to hinged laundry doors only	
INFILLS OVER WINDOWS	Front Elevation: Brickwork infills	
(SINGLE STOREY)	Side and Rear Elevation: Fibre cement sheets	

FRAMING

WALLS	Stabilised timber framing throughout 90mm external and internal walls
ROOF	Stabilised timber roof trusses

INSULATION

INSULATION		
CEILING	R4.0 glasswool batts to house only	
EXTERNAL WALLS	R2.0 glasswool batts (including party wall betwee house and garage) plus weather wrap, joins in weather wrap to be taped and gaps around windows/doors sealed	
PAINTWORK		
COLOUR	All paint colours to be selected from builder's standard selection Category 1	
EXTERNAL	Front Door: Sealer undercoat with enamel gloss top coats	
INTERNAL	Woodwork and Doors: Sealer undercoat with satin acrylic top coats (doors, skirting and architraves to be one colour)	
	Ceilings: Flat acrylic (one colour throughout)	
	Walls: Two tinted coats low sheen acrylic (one colour throughout)	
INTERNAL FE	ATURES	
INTERNAL FE CEILING HEIGHT	Single Storey: 2400mm throughout	
	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground	
CEILING HEIGHT	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor	
CEILING HEIGHT ROOM DOORS ROOM DOOR	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high	
CEILING HEIGHT ROOM DOORS ROOM DOOR FURNITURE	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high Pre-selected from builder's Category 1	
CEILING HEIGHT ROOM DOORS ROOM DOOR FURNITURE	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high Pre-selected from builder's Category 1 Skirtings: 67mm high Architraves: 67mm wide Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes)	
CEILING HEIGHT ROOM DOORS ROOM DOOR FURNITURE MOULDINGS	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high Pre-selected from builder's Category 1 Skirtings: 67mm high Architraves: 67mm wide Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes wet areas). Total number of points and unit size are	
CEILING HEIGHT ROOM DOORS ROOM DOOR FURNITURE MOULDINGS HEATING	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high Pre-selected from builder's Category 1 Skirtings: 67mm high Architraves: 67mm wide Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes wet areas). Total number of points and unit size are product specific – refer to working drawings Inverter high wall split system air conditioning unit with manual controller to family/dining area (product specific)	
CEILING HEIGHT ROOM DOORS ROOM DOORS MOULDINGS HEATING COOLING WINDOW	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor Flush panel 2040mm high Pre-selected from builder's Category 1 Skirtings: 67mm high Architraves: 67mm wide Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes wet areas). Total number of points and unit size are product specific – refer to working drawings Inverter high wall split system air conditioning unit with manual controller to family/dining area (product specific) Roller blinds: To all windows. Colour pre-selected	

HOME INCLUSIONS

MetInvest by Metricon Complete effective 1 June 2015

APPLIANCES

HOT PLATE	Stainless steel, gas, 600mm wide	
RANGEHOOD	Stainless steel, 600mm wide canopy rangehood, with 4-speed recirculating fan	
DISHWASHER	Stainless steel dishwasher including single powerpoint and water point	
OVEN	Stainless steel electric, 600mm	

CABINETRY

CUPBOARDS	Fully lined modular cabinets
OVERHEAD CUPBOARDS	Up to 600mm high x 300mm wide (nom) overhead cupboards to both sides of rangehood
-	To kitchen only, refer to working drawings for extent
DOORS/DRAWERS	Standard laminate pre-selected from builder's standard colour schemes
CABINETRY HANDLES	From builder's standard colour schemes

KITCHEN

SINK	Stainless steel 1200mm with 1¾ bowl	
ТАР	Bristol sink mixer	
MICROWAVE PROVISION	600w incorporated in kitchen base cupboards and vented into adjacent cupboard space, including single power point. (Not included in all homes, refer working drawings for standard inclusions)	
BENCH TOPS	Standard laminate benchtop from builder's standard colour schemes	

BATHROOM / ENSUITE

MIRRORS	Silver backed, polished edge or aluminium framed, seated on vanity	
BASINS	Base oval vanity with white acrylic waste	
BATH	White acrylic with matching waste	
SHOWER BASES	White polymarble with matching waste	
SHOWER SCREENS	Semi-frameless with pivot door and clear, laminated glass	
	Bath: Mixer lever and spout	
TAP AND OUTLETS	Bath: Mixer lever and spout	
TAP AND OUTLETS	Bath: Mixer lever and spout Basin: Mixer lever	
TAP AND OUTLETS		
TAP AND OUTLETS	Basin: Mixer lever Shower: Mixer lever with all-directional shower head	

SUSTAINABLE ENERGY

SOLAR HOT WATERGas mains pressure hot water unit with one collector, 200 litres storage		
DRAFT EXCLUSIONS	Exhaust Fans: Backdraft shutter incorporated in exhaust fan	
	Entry frames: Full perimeter draft seals to all entry door frames excluding garage external pedestrian door	
LANDSCAPI	NG	
PAVING	Up to 36m ² of coloured concrete paving to driveway, front of garage to front boundary and from driveway to front porch	
LANDSCAPING	Low maintenance landscaping package pre-selected from builder's standard range	
LETTERBOX	Metricon model 1 pre-formed concrete letterbox with street number	
CLOTHESLINE	Single folding frame wall mounted clothesline with optional post kit	
FENCING	1900mm high treated pine timber paling fencing, tapered to 900mm at front boundary	
	Single paling gate with latch on metal frame	
LAUNDRY		
TROUGH & CABINET	Stainless steel 45 litre single bowl with bypass and white metal cabinet underneath with mini washing machine stop taps inside cabinet	
TAP TO TROUGH		
STORAGE	(PRODUCT SPECIFIC)	
SHELVING	Robes: One white melamine shelf and hanging rail	
	Walk in Robe: One white melamine shelf and hanging rail	
	Pantry/Linen: Four white melamine shelves	
	Broom: One white melamine shelf	
DOORS	Robes: 2065mm high, vinyl clad finish, frame and vinyl colour selected from builder's selection Category 1	
	Walk in Robe: No Doors: Open shelving only where no doors are indicated on working drawings (refer working drawings for standard inclusion)	
	Built in Robe: With Doors: Hinged doors. Product specific, refer to working drawings for standard inclusion	
	Pantry, Linen, Broom: Flush panel, 2040mm high hinged doors	
STORAGE	Same as cabinetry handle	

HOME INCLUSIONS

MetInvest by Metricon Complete effective 1 June 2015

ELECTRICAL

POWER POINTS	Double outlets throughout excluding dishwasher, microwave provision and refrigerator (product specific, refer to working drawings)	FLOORING	Ceramic tiling to laundry, bathroom, ensuite, powder room (S) and water closets as per standard working drawing selected from builder's selection Category 1	
INTERNAL LIGHT POINTS	Fixed batten holder with Gail light fitting to all light points. LED downlights to living areas and entry	LAMINATE FLOORING	Laminate 3 strip floating floor, moisture resistant	
EXTERNAL LIGHT POINTS	LED to entry and weather proof adaptor light to rear as per drawings. Paraflood lights with sensor to rear		underlay to entry through to kitchen, including pantry, family and dining	
	and laundry door	CARPET	Carpet to all bedrooms, rear hallway, sitting, rumpus (product specific). Excludes wet areas, entry	
SWITCH PLATES	Slimline coloured bakelite (wall mounted where practical)		(through to kitchen), kitchen, pantry, dining and family. Pre-selected from builder's standard range	
LIGHT SWITCHES	Clipsal Impress push button			
SMOKE DETECTOR	Hardwired with battery backup	GARAGE		
EXHAUST FANS	Above showers and toilets not opening to outside air	GENERAL	Brick garage with tiled hip roof including Colorbond [®] sectional overhead door to front, plaster ceiling, concrete floor, brickwork over front door, with	
TV POINTS	UHF/VHF digital compatible antenna on 1.8m mast and RG6 quad coxial cable connected to two wall		brickwork over (product specific - refer to working drawings for garage size and front door width)	
	plates as per working drawings.	EXTERNAL WALLS	Brick veneer	
TELEPHONE POINT	Two points with wall plate and trenching	GARAGE DOOR	Remote control unit to front garage door with three transmitter units	
	Underground connection to supply pit is included with maximum 20 metres		Ember seals to Colorbond® sectional door	
SAFETY SWITCH	RCD safety switch and circuit breakers to meter box	EXTERNAL	Door Frame: Timber with sealer undercoat	
ANTENNA	Metro antenna package	PEDESTRIAN DOOR	and low sheen acrylic top coats paint finish (product specific)	
FLOORING			Door: 2040mm high weatherproof flush panel with sealer undercoat and low sheen acrylic top coats paint finish, opening in	
WALL TILES AND BATH HOB	Ceramic wall tiles to areas as per standard working drawings. Pre-selected from builder's standard range		Door Furniture: Entry set keyed alike to front door	
	Plain aluminium 'L-shape' angle trim to bath hob/ riser junction	INTERNAL ACCESS DOOR	Door Frame: Timber with sealer undercoat and low sheen acrylic top coats paint finish (product specific)	
FLOOR TILES	Ceramic floor tiles to areas as per standard working drawings. Pre-selected from builder's standard range		Door: Flush panel with sealer undercoat and low	
	Aluminium metal trim to doorways/openings abutting alternative floor covering		sheen acrylic top coats paint finish, opening into home	
SKIRTING TILES	100mm high ceramic floor or wall tiles to laundry,		Door Furniture: Entry set keyed alike to front door	
	bathroom, ensuite and toilet/s as per standard working drawings. Pre-selected from builder's	GENERAL AL	LOWANCES	

∗ ★ ∗ 6star

All Metricon homes are designed and built with sustainability in mind. A 6 star energy rating ensures even greater comfort, reduced greenhouse gas emissions and savings on your utility bills. Conditions apply.*

standard range

Raft/waffle pod slab construction up to Class M classification (Note: raft slab to be only used at the discretion of MetInvest by Metricon). Connection of underground power, water supply, stormwater drains, sewerage system and gas supply based on building maximum setback 6000mm to dwelling. Fall of land up to 300mm over building area

Methovest by Metricon's standard specification is subject to change without notice and Methovest by Metricon reserves the right to substitute items with equivalent products at any time and to use alternative suppliers other than where specified in the new home contract. *Metricon will ensure 6 star energy efficiency on all standard homes on all orientations when built on a concrete slab, however additional costs may be incurred by the purchaser in the event that the purchaser requests design alterations, including timber floor construction, or if the developer dictates design controls over the home. The Methovest by Metricon specification excludes HomeSolution, Freedom, Designer and Signature ranges and only applies in the Melbourne Metro and Regional Victoria building regions, see www.metricon.com.au/build-regions. NSW Contractor's Licence: 174699C; SA Builder's Licence: BLD231776. Metricon Homes QLD Pty Ltd is licensed under the Queensland Building and Construction Commission Act 1991 (QBCC Licence 40992) and in NSW (Contractor's Licence: 36654C). MetInvest is a division of Metricon Homes Pty Ltd (ACN 005108752). Current as of 1 June 2015. JUN2015 MET2881



Introducing MetInvest

MetInvest is the property investment arm of Australia's leading home builder, Metricon. Our specialist team offers fixed price home and land packages available exclusively to valued clients of our property investment partners.

MetInvest homes are built by the same highly qualified and experienced tradespeople as Metricon's retail range of homes. We use the same quality supplier and builder network and adhere to the same superior building standards.

Our investment properties are highly liveable, open and light filled spaces with a range of essential inclusions such as heating and cooling, floor coverings, dishwasher, window furnishings and landscaping.

Partner with a trusted company

For over 35 years, Metricon has been one of Australia's most trusted names in multi award-winning home building and residential developments, with a commitment to excellence in design, construction and customer service.

Choosing to build a MetInvest investment property means you are aligning yourself with the Metricon brand and its national reputation for quality and reliability.

THE METINVEST DIFFERENCE

- Properties designed and packaged specifically for the investor market
- Competitive pricing
- Regular construction updates via your property investment consultant
- Decades of home building experience
- An experienced and enthusiastic team
- 25 year structural guarantee[#]







Over 35 years home building experience

25 year structural Awardguarantee des

Award-winning designs



Image depicts items not supplied by MetInvest by Metricon namely furniture, and wallpaper. Carpet style (and colour) may differ from what is shown in the image, see your MetInvest Consultant for carpet flooring options. #For full terms on the 25 Year Structural Guarantee see www.metricon.com.au/terms/structural-guarantee. See your MetInvest consultant for more details. NEWFIELD REAL ESTATE PTY LTD ACN 159 312 722, Licence number 028051L. NSW Contractor's Licence: 174699C; SA Builder's Licence: BLD231776. Metricon Homes QLD Pty Ltd is licensed under the Queensland Building and Construction Commission Act 1991 (QBCC Licence 40992) and in NSW (Contractor's Licence: 36654C). MetInvest is a division of Metricon Homes Pty Ltd ACN 005108752. AUG2015 MET2881