

Aspect Inclusions

ADDITIONAL QUALITY LIFESTYLE INCLUSIONS

CONCRETE SLAB

Provide Slab to suit Engineering Requirements

UPGRADED COLOUR SCHEME INCLUSIONS

Upgraded Colour Scheme Inclusions (Bleu, Espresso, Noir, Polaris, Raven, Ruby, Taupe, Titanium, Truffle or Urban) adapted by Rawson Homes to suit the house design

AIR CONDITIONING

DAIKIN 14KW standard Inverter ducted air conditioning with 2 zones and return air to be located on the ceiling. Note: Positions of outlets and return air is determined by air conditioning contractor. This unit is designed to have one zone operating at a time

CEILING

Nominal 2600mm high Ceilings to Ground Floor in lieu of 2450mm

FLOORING

Laminate Flooring (selected from Rawson Homes extensive range) to Entry, Entry Hallway, Living, Dining and Kitchen

KITCHEN

20mm CAESARSTONE Bench Top to Kitchen (selected from Rawson Homes builders range)

WESTINGHOUSE 'WVE916SB' 90cm electric oven in Stainless Steel finish in lieu of standard, where applicable

WESTINGHOUSE 'WHG955SA' 90 cm 5 burner gas cooktop in stainless steel finish in lieu of standard, where applicable OR

WESTINGHOUSE 'WHC942BA' 90cm ceramic 5 burner electric cooktop (if no gas available) in lieu of standard, where applicable

 $WESTINGHOUSE\ 'ERI1712SA'\ integrated\ externally\ ducted\ range\ hood\ in\ lieu\ of\ standard,\ where\ applicable$

WESTINGHOUSE 'WSF6608X' Built Under Dishwasher in Stainless Steel finish and WESTINGHOUSE 'WMB2802SA' Built in Microwave in Stainless Steel finish

BATH

20mm CAESARSTONE Bench Top (selected from Rawson Homes builders range) to Bathroom, Ensuites and Powder Room (where applicable)

ELECTRICAL

11W LED Downlights (cool white) to Entry, Entry Hallway, Living, Dining and Kitchen (12 lights included in total)

Oyster light fittings to remainder of dwelling

1 x additional Telephone point

1 x additional Television point

ALFRESCO

Floor Tiling to Alfresco and Patio slabs (selected from Rawson Homes extensive range

DOORS

B&D Colorbond Panelift door(s) with Remote Control operation, including two handsets

Basic Landscaping Plan
Turf to front and rear yard
Pebbles to sides of house
Garden Bed and Tree to front yard, Tree to rear yard.
Earthworks and retaining where required to establish a maximum gradient of 1:20 to private open space and 1:5 to remainder of open space
Surface Drainage Lines as required
Rendered finish Letterbox
Clothesline
Fencing from behind building line to sides and rear of lot with gate to one side and block-off to the other side where applicable

LANDSCAPE





SITE NEEDS (Based on a standard residential block)

Broom Finished Plain Concrete Driveway (approximately 5.5m wide at Garage, reducing to 3.5m wide at front boundary) including Plain Concrete crossover (from boundary to kerb) and Pathway from Driveway to Porch. The driveway is designed and constructed for passenger vehicles only that access into the Garage.

Site costs, up to 1m of fall, including piering

Service Connection - Power, Phone, Water, Sewer, Gas and Stormwater

3000L Rainwater Tank, connected all toilets, cold washing machine tap and one garden tap

CONCRETE SLAB

Engineer designed concrete slab to suit M classification soil

Engineer designed concrete slab to Porch / Patio

Porch and Alfresco including broom finished concrete slab, brick piers and roof over. These slabs are not classified as a "finished" surface. Rawson Homes recommends that these slabs are tiled (not included in standard specification).

TERMITE TREATMENT

RENTOKIL Homeguard Red termite protection to pipe penetrations and perimeter cavity with 25 year warranty and \$1,000,000 insurance cover

FRAME

HYNE T2 Blue Termite Resistant Framing

450mm Eaves to Roof Line

90mm external and internal stud frames to ground and first floor

Nominal 2450mm high ceilings to the ground floor and first floor

300mm engineered joist system

BRICKS

Selection of bricks from Austral Bricks everyday range as per the Rawson's external colour schemes

WINDOWS

STEGBAR Aluminium windows and sliding doors in manufacturers standard colour range including security keyed windows and door locks with obscure glass to bathrooms, Ensuite and powder room

ROOFING

CSR MONIER Concrete Roof Tiles in Elabana profile

FASCIA & GUTTER

Colorbond Fascia and Gutter with painted PVC Downpipes or Colorbond downpipes when the Rainwater tank is not required

INSULATION - Single Storey Homes

CSR BRADFORD R2.0 Thermal batts to external walls including internal wall between Garage and House (Excludes external walls of Garage)
CSR BRADFORD R3.5 Thermal batts to ceilings with roof over (excluding ceilings over Garage, Porch, Alfresco)

INSULATION - Double Storey Homes

CSR BRADFORD R2.5 Thermal batts to external walls including internal wall between Garage and House (Excludes external walls of Garage)
CSR BRADFORD R4.1 Thermal batts to ceilings with roof over (excluding ceilings over Garage, Porch, Alfresco and Deck)

FRONT DOOR

CORINTHIAN Madison 2040mm (H) - PMAD101, PMAD 104, PMAD 111 or PMAD 04 entrance doors (with clear glass) in paint finish to all facades

CORINTHIAN WIN21 full clear glazed laundry entrance door in painted finish where applicable

Sidelights where applicable are clear glazed

INTERNAL DOORS

CORINTHIAN flush pre hung internal doors in pre-primed paint finish - 2040mm (H) to Ground Floor and First Floor

FIXOUT

67 x 18mm Bevelled Edge profile architrave with paint finish

67 x 18mm Bevelled Edge profile skirting with paint finish

90mm cove cornice at the junction of wall and ceiling

DOOR FURNITURE

External Doors: GAINSBOROUGH Tri-lever in satin or polished chrome for the front door and Laundry

Internal Doors: GAINSBOROUGH Amelia Series Lever handles with privacy sets to all Bathrooms and WC's and 1951 deadlock to door between house and Garage

Wardrobe Doors: Bar Designer Handles

Wall/door stops to bedrooms, wet areas and living areas (excl robes and linen)

STAIRCASE

Painted timber staircase with square newel posts, handrail and Balusters with MDF treads and risers

ROBES

CORINTHIAN Flush internal 2040mm doors in pre-primed paint finish to bedroom robes with one melamine shelf and hanging rail

LINEN, BROOM, COAT & STORE CUPBOARD

STEGBAR Melamine shelves Four (4) to Linen cupboards, One (1) to Broom cupboard, One (1) to Store cupboard and One (1) to Coat cupboard including hanging rail (where applicable to design)

GARAGE DOORS

B&D Colorbond Roller door

HOT WATER SYSTEM

RHEEM® Metro 6 star continuous 26L gas wall mounted hot water system. Model 875E26NF

KITCHEN

Laminated post formed / square edge benchtops in a wide range of colours

Laminated doors with 2mm ABS edges in a wide range of colours

Overhead Cupboards to Kitchen

Bulkheads to Overhead Cupboards

Kitchen kickboards as per doors

Cutlery Tray to Kitchen Drawer

 $\label{provision} \mbox{Provision for dishwasher including water point and single power point}$

Provision for microwave including single power point

CLARK Vital 1129 1180mm double bowl end stainless steel sink

Tiled splashback to kitchen (Selected from standard range)

KITCHEN APPLIANCES - Oven

WESTINGHOUSE 'WVE615S' 60cm electric oven in Stainless Steel finish

KITCHEN APPLIANCES - Cooktop

WESTINGHOUSE 'WHG643SA' 60cm 4 burner gas cooktop in stainless steel finish

WESTINGHOUSE 'WHC642BA' 60cm ceramic 4 burner electric cooktop (if no gas available)

KITCHEN APPLIANCES - Rangehood

WESTINGHOUSE 'WRH608IS' retractable externally ducted rangehood in Stainless Steel finish

GAS CONNECTION

Gas service connection from front boundary to house, including provision for hot water system, cooktop and internal heating point

ELECTRICAL

Three phase underground mains provision with Single Phase switchboard

NBN Provision includes: Conduit and draw wire from front boundary to meterbox; Conduit and draw wire from Meterbox to back internal wall of Garage; One single power point to internal back wall of Garage; One additional telephone point to back internal wall of Garage; and One CAT6 data point to internal wall of Garage.

Earth leakage circuit breaker for lights and power

1 light point to each room

2 way switch to stairs only

Double power points (Double GPO) to all rooms including Garage

Power provision (Single GPO) for fridge provision

Power provision (Single GPO) for dishwasher provision

Power provision (Single GPO) for microwave provision

Power provision (Single GPO) for rangehood provision

Exhaust Fan in the bathroom and Ensuite vented into roof space with two external eave vents

Isolated powder room exhaust fan

1 telephone point

1 television point

External light point to eaves at external doors

External junction box beside external doors without eaves (for fitting by owner)

Direct wired smoke detectors with battery back up as required

AIR CONDITIONING

DOUBLE STOREY: Pre-Ducting for future Air Conditioning (by Owner) including outlets to Ground floor only of Double Storey Homes OR

SINGLE STOREY: Daikin Inverter – 2.5Kw split system air conditioning unit. The split system must be installed on an external wall. The unit's suitability to the location and serviceable area is to be confirmed i.e. Bedroom. This unit is provided for supplementary heating and cooling.

LAUNDRY SINK

CLARK 45 Litre stainless steel tub with white metal cabinet

VANITY UNITS

Laminated square edge tops to floating vanities

Laminated doors with PVC edges in a wide range of colours

Caroma Cosmo Semi Recessed OR Caroma Cosmo Inset (Basins determined by architectural plans) with one tap hole and standard plug and waste

Laminated benchtop and apron to Powder Room (Where specified on brochure plan)

VANITY MIRRORS

Frameless polished edge bathroom mirrors (excluding backing board)

BATHROOM ACCESSORIES

CAROMA Cosmo 600mm double towel rail and toilet roll holder to bathroom, Ensuite and powder room

BATHS

STYLUS Maxton 1675 white rectangular bath

TOILET SUITES

STYLUS Prima II close coupled toilet suite with soft close seat

SHOWER SCREENS

STEGBAR Softline Series framed shower screens with pivot doors, chrome trims and clear laminated glass

TAPS & FITTINGS

STYLUS VENECIA Mixer to Kitchen Sink (chrome)

CAROMA Blaze Pin lever mixer to all basins (chrome)

CAROMA Blaze Pin lever mixer and Stylus outlet to Bath (chrome)

CAROMA Pin Multifunction hand-held shower with rail and Blaze Pin mixer (chrome)

STYLUS VENECIA Mixer to Laundry

STYLUS VENECIA Washing Machine Set to Laundry (concealed behind tub)

WALL & FLOOR TILING - WET AREAS

Wall and Floor tiles to Wet Areas from Rawson Homes extensive range

Tiling Heights - Bathroom and Ensuite - 2100mm high to shower recess, 500mm over bath, skirting tile to remainder

Laundry – 300mm high tiling over laundry tub and skirting tiles to remainder

FLOOR COVERINGS

Laminate flooring (from Rawson Homes extensive range) to Entry and Kitchen

Carpet to remainder of dwelling (selected from standard range)

PAINTING

TAUBMANS 3 coat paint system to internal walls including 2 external paint colours, 1 internal wall colour, 1 ceiling colour, Taubmans Gloss paint to doors and internal woodwork

WH&S

Heavy Duty Scaffold to perimeter of house	Safety Rail to perimeter of first floor
Safety Rail to perimeter of roof	Stair Void Protection

COUNCIL/AUTHORITY FEES AND APPLICATION REQUIREMENTS

Council Development Application fee	Certifier inspection fee
Home Owners Warranty Insurance	Architectural Plans
Construction Certificate Fee	Shadow Diagrams
Occupation Certificate Fee	Waste Management Report
Standard Water Authority fee and Sewer Inspections fee	ABSA Certificate
Long Service Levy fee	BASIX or EERS Certificate

NOTE: Rawson Homes Pty Ltd considers safety in every aspect of your home, from design through to handover. During the construction phase, all components, including those that are at a height of 3.0 metres or more, can be completed safely due to Rawson Homes strict policies, work methods and safety controls. However, once the finished house is handed over to the client, Rawson Homes can no longer ensure the safety of any person that needs to maintain any components (for example, but not limited to, light fittings, fixtures, antennas or gutter cleaning). The client must be aware that the maintenance of any components that are at a height of 3.0 metres or more, will require the implementation of adequate safety control measures and the service of a qualified person that is trained in safe work at heights.



