

HOME INCLUSIONS

MetInvest by Metricon Complete Premium effective 1 June 2015

EXTERNAL FEATURES		FRAMING	
BRICKWORK	Clay bricks. Pre-selected from builder's MetInvest colour schemes	WALLS	Stabilised timber framing throughout 90mm external and internal walls
MORTAR JOINTS	Natural colour, raked joints	ROOF	Stabilised timber roof trusses
ROOFTILES	Concrete roof tiles. Pre-selected from builder's standard range	INSULATION	
ROOF PLUMBING	Colorbond® or Colorcote metal fascia and barge, quad gutter with rectangular downpipes	CEILING	R4.0 glasswool batts to house only
EXTERNAL RENDER	Acrylic texture coating render. Pre-selected from builder's standard range (facade specific, refer working drawings for extent of cover)	EXTERNAL WALLS	R2.0 glasswool batts (including party wall between house and garage) plus weather wrap, joins in weather wrap to be taped and gaps around windows/doors sealed
LIGHTWEIGHT CLADDING	Fibre cement products to areas as per standard working drawings (product specific)	DAINTWORK	
ENTRY DOOR LAUNDRY DOOR	Front Door: Pre-selected from builder's standard range - 2040 x 820 mm BAL 12.5 compliant Hinged Door Only. Paint finished, flush panel, 2040mm high with clear glass panel to top section (product specific)	PAINTWORK	
		COLOUR	All paint colours pre-selected from builder's standard selection Category 1
		EXTERNAL	Front Door: Sealer undercoat with enamel gloss top coats
DOOR	Front Door: Entry set and deadbolt	INTERNAL	Woodwork and Doors: Sealer undercoat with satin acrylic top coats (doors, skirting and architraves to be one colour)
FURNITURE	External Hinged Door: Entry set keyed alike to front door		
DOOR FRAMES	Front Door: Aluminium, powder coat finish,		Ceilings: Flat acrylic (one colour throughout)
DOOR PRAWIES	4mm toughened clear glass to sidelights (product specific)		Walls: Two tinted coats low sheen acrylic (one colour throughout)
	Laundry (Sliding Door): Aluminium, powder coat finish	INTERNAL FEATURES	
WINDOWS	Aluminium sliding, powder coat finish. Feature windows to front facade (product specific) Keyed locks to openable windows	CEILING HEIGHT	Single Storey: 2550mm throughout
			Double Storey: 2550mm throughout to ground floor and 2550mm to first floor
INSECT SCREENS	Windows: Aluminium framed, powder coat finished to match windows with fibreglass mesh fitted to all openable windows of house only	ROOM DOORS	Flush panel 2040mm high
		ROOM DOOR FURNITURE	Pre-selected from builder's Category 1 lever handles, satin chrome finish
	Sliding Doors: Aluminium framed, powder coat finished to matched doors with grilled barrier and fibreglass mesh fitted to all sliding doors	MOULDINGS	Skirtings: 67mm high
			Architraves: 67mm wide
	Hinged Doors: Aluminium framed, powder coat finished, with grilled barrier and fibreglass mesh fitted to hinged laundry doors only	HEATING	Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes wet areas). Total number of points and unit size are product specific – refer to working drawings
INFILLS OVER WINDOWS (SINGLE STOREY)	Front Elevation: Brickwork infills over windows and front entry frame		
	Side and Rear Elevation: Brickwork infills		
STAIRS (DOUBLE STOREY HOMES)	KDHW handrail, clear polyuretheane finish, 14mm diameter matt black etch paint metal balusters, MDF cute stringer, treads and risers, gloss paint	COOLING	Evaporative cooling
		WINDOW FURNISHINGS	Roller blinds: To all windows. Colour pre-selected from builder's standard range
HOMES)	finished		Vertical blinds: To all sliding doors. Colour

1



HOME INCLUSIONS

MetInvest by Metricon Complete Premium effective 1 June 2015

APPLIANCES		SUSTAINABL	E ENERGY
UPRIGHT COOKER	Stainless steel, dual fuel, 900mm wide	SOLAR HOT WATER	Gas mains pressure hot water unit with one solar collector, 200 litres storage
RANGEHOOD	Stainless steel, 900mm wide canopy rangehood, with 4-speed recirculating fan	DRAFT EXCLUSIONS	Exhaust Fans: Backdraft shutter incorporated in exhaust fan
DISHWASHER	Stainless steel dishwasher including single powerpoint and water point		Entry frames: Full perimeter draft seals to all entry door frames excluding garage external pedestrian door
CABINETRY		LANDSCAPII	NG
CUPBOARDS	Fully lined modular cabinets	PAVING	Up to 36m² of coloured concrete paving to
OVERHEAD CUPBOARDS	Up to 720mm high x 900mm wide (nom) overhead cupboards to both sides of rangehood		driveway, front of garage to front boundary and from driveway to front porch
	To kitchen only, refer to working drawings for extent	LANDSCAPING	Low maintenance landscaping package selection
DOORS/DRAWERS	Standard laminate pre-selected from builder's standard colour schemes	LETTERBOX	from builder's standard range Metricon model 1 pre-formed concrete letterbox
OADINETDY			
CABINETRY HANDLES	Pre-selected from builder's standard colour schemes	CLOTHESLINE	Single folding frame wall mounted clothesline with optional post kit
		FENCING	1900mm high treated pine timber paling fencing
KITCHEN	OLI III III III III III III III III III		Wing Fence to Side: Single paling gate with latch on metal frame
SINK	Stainless steel 1200mm with 1¾ bowl		
TAP	Bristol sink mixer	LAUNDRY	
MICROWAVE PROVISION	600w incorporated in kitchen base cupboards and vented into adjacent cupboard space, including single power point. (Not included in all homes, refer working drawings for standard inclusions)	TROUGH & CABINET	Stainless steel 45 litre single bowl with bypass and white metal cabinet underneath with mini washing machine stop taps inside cabinet
BENCH TOPS	20mm reconstituted stone benchtop from builder's standard colour schemes	TAP TO TROUGH	Mixer lever set (over trough only)
		STORAGE	(PRODUCT SPECIFIC)
BATHROOM /	ENSUITE	SHELVING	Robes: One white melamine shelf and hanging rail
MIRRORS	Silver backed, polished edge or aluminium framed, seated on vanity		Walk in Robe: One white melamine shelf and hanging rail
BASINS	Base oval vanity with white acrylic waste		Pantry/Linen: Four white melamine shelves
BATH	White acrylic with matching waste		Broom: One white melamine shelf
50, 118 3005 (AA308)	a an annual section of the section o	DOORS	Robes: 2065mm high, vinyl clas finish, frame
SHOWER BASES SHOWER SCREENS	White polymarble with matching waste Semi-frameless with pivot door and clear,	DOORS	and vinyl colour selected from builder's selection Category 1
JONELING	laminated glass		Walk in Robe: No Doors: Open shelving only where no doors are indicated on working drawings (refer working drawings for standard inclusion)
TAP AND OUTLETS	Bath: Mixer lever and spout		
	Basin: Mixer lever Shower: Mixer lever with all-directional shower head		Built in Robe: With Doors: Hinged doors. Product specific, refer to working drawings for
	on slide rail		standard inclusion
TOILET SUITE	Porcher Quatre white vitreous china close coupled toilet suite with soft-close seat and concealed		Pantry, Linen, Broom: Flush panel, 2040mm high hinged doors
TOWEL BALLS/	waste & chrome mini cistern stop tap Metal double towel rails to bathroom and ensuite	STORAGE HANDLE	Same as cabinetry handle
TOWEL RAILS/ TOILET ROLL HOLDERS	Toilet roll holders to ensuite and WC (product specific)		



HOME INCLUSIONS

MetInvest by Metricon Complete Premium effective 1 June 2015

ELECTRICAL

POWER POINTS	Double outlets throughout including dishwasher and microwave provision (product specific, refer to working drawings)	SKIRTING TILES	100mm high ceramic floor or wall tiles to laundry, bathroom, ensuite and toilet/s as per standard working drawings. Pre-selected from builder's standard range
INTERNAL LIGHT POINTS	Fixed batten holder with cowl shades to all light points. LED downlights to living areas	PORCH TILES	Refer to "Floor Tiles" section
EXTERNAL LIGHT POINTS	LED to entry and weather proof adaptor light to rear as per drawings. Paraflood lights with sensor to rear and laundry door	FLOORING	Ceramic tiling to laundry, bathroom, ensuite, powder room (S), water closets, entry through to kitchen, kitchen, family, dining as per standard working
SWITCH PLATES	Slimline coloured bakelite (wall mounted where practical)	CARPET	drawing selected from builder's selection Category 1 Carpet to all bedrooms, rear hallway, sitting, rumpus
LIGHT SWITCHES	Clipsal Impress push button	CARPET	(product specific). Fxcludes wet areas, entry (through to kitchen), kitchen, pantry, dining and family. Pre-selected from builder's standard range
SMOKE DETECTOR	Hardwired with battery backup		
EXHAUST FANS	Above showers and toilets not opening to outside air	GARAGE	
TV POINTS	UHF/VHF digital compatible antenna on 1.8m mast and RG6 quad coxial cable connected to two wall plates as per working drawings.	GENERAL	Brick garage with tiled hip roof including Colorbond® sectional overhead door to front, plaster ceiling, concrete floor, brickwork over front door, with brickwork over (product specific - refer to working
TELEPHONE POINT	Two points with wall plate and trenching		drawings for garage size and front door width)
	Underground connection to supply pit is not included	EXTERNAL WALLS	Brick veneer
SAFETY SWITCH	RCD safety switch and circuit breakers to meter box	GARAGE DOOR	Remote control unit to front garage door with three transmitter units
ANTENNA HOME SECURITY	Metro antenna package Alarm System: Bosch Solution 16 Plus alarm system with back-up battery, up to sixteen independent zones, internal and external sirens,		Ember seals to Colorbond® sectional door
		EXTERNAL PEDESTRIAN DOOR	Door Frame: Timber with sealer undercoat and low sheen acrylic top coats paint finish (product specific)
FLOORING	one LCD keypad and four PIR sensors.	Boom	Door: 2040mm high weatherproof flush panel with sealer undercoat and low sheen acrylic top coats paint finish, opening in
	Coversio well tiles to average as per etendered worlding		Door Furniture: Entry set keyed alike to front door
WALL TILES AND BATH HOB	Ceramic wall tiles to areas as per standard working drawings. Pre-selected from builder's standard range Plain aluminium 'L-shape' angle trim to bath hob/riser junction	INTERNAL ACCESS DOOR	Door Frame: Timber with sealer undercoat and low sheen acrylic top coats paint finish (product specific)
			Door: Flush panel with sealer undercoat and low sheen acrylic top coats paint finish, opening into home
FLOOR TILES	Ceramic floor tiles to areas as per standard working drawings. Pre-selected from builder's standard range		Door Furniture: Entry set keyed alike to front door
	Aluminium metal trim to doorways/openings		



All Metricon homes are designed and built with sustainability in mind. A 6 star energy rating ensures even greater comfort, reduced greenhouse gas emissions and savings on your utility bills. Conditions apply.*

Raft/waffle pod slab construction up to Class M classification (Note: raft slab to be only used at the discretion of MetInvest by Metricon). Connection of underground power, water supply, stormwater drains, sewerage system and gas supply based on building maximum setback 6000mm to dwelling. Fall of land up to 300mm over building area

Metinvest by Metricon's standard specification is subject to change without notice and Metinvest by Metricon reserves the right to substitute items with equivalent products at any time and to use alternative suppliers other than where specified in the new home contract. *Metricon will ensure 6 star energy efficiency on all standard homes on all orientations when built on a concrete slab, however additional costs may be incurred by the purchaser in the event that the purchaser requests design alterations, including timber floor construction, or if the developer dictates design controls over the home. The Methrest by Metricon specification excludes HomeSolution, Freedom, Designer and Signature ranges and only applies in the Melbourne Metro and Regional Victoria building regions, see www.metricon.com.au/build-regions. NSW Contractor's Licence: 174699C; SA Builder's Licence: BLD231776. Metricon Homes QLD Pty Ltd is licensed under the Queensland Building and Construction Commission Act 1991 (QBCC Licence 40992) and in NSW (Contractor's Licence: 36654C). Methrest is a division of Metricon Homes Pty Ltd (ACN 005108752). Current as of 1 June 2015. JUN2015 MET2881